

S17	0	( ((single or one ) near2 response\$3 ) same asynchronous same pend\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:34
S18	36	( ((single or one ) near2 response\$3 ) same asynchronous same (pend\$3 or wait\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:39
S19	155	( ((single or one ) with response\$3 ) same asynchronous same (pend\$3 or wait\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:45
S20	2	( "6,175,879" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:43
S21	6	( ((single or one ) with response\$3 ) same asynchronous same (pend\$3 or wait\$3 ) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:50
S22	9	( ((single or one ) with (API or call\$3) ) with hand\$6 same asynchronous ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:53
S23	1	( ((single or one ) with (API or (function\$1 near2 call\$3)) ) with hand\$6 same asynchronous ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:55
S24	7	( ((single or one ) with (API or (function\$1 near2 call\$3)) ) same hand\$6 same asynchronous ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:03

S25	7	( ((single or one ) with (API or (function\$1 near2 call\$3)) ) same handl\$6 same asynchronous ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:05
S26	10	( ((single or one ) with (API or (function\$1 near2 call\$3)) ) with handl\$6 same asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 14:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	( "5,987,517").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 14:25
S1	2	( buffer\$3 with size\$1 same request\$3 same enough\$1).ab.	USPAT	OR	OFF	2005/10/06 11:17
S2	239	( buffer\$3 with size\$1 same request\$3 same enough\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:18
S3	9	( buffer\$3 with size\$1 same request\$3 same enough\$1 same asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:25
S4	0	( buffer\$3 with size\$1 same repl\$3 same enough\$1 same asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:24
S5	4	( buffer\$3 same size\$1 same repl\$3 same enough\$1 same asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:25
S6	91	( buffer\$3 with size\$1 same request\$3 same enough\$1 & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:25
S7	5	( buffer\$3 with size\$1 same ((sigle or one )near2 request\$3 ) same enough\$1 & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:28
S8	1	( buffer\$3 with size\$1 same ((sigle or one )near2 response ) same enough\$1 & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:28

S9	1	( (size\$1 with enough) same ((single or one )near2 response ) & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:29
S10	1	( (size\$1 with enough) same ((single or one )near2 response ) & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:29
S11	122	( (size\$1 ) same ((single or one ) near2 response\$3 ) & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:30
S12	11	( (size\$1 ) same ((single or one ) near2 response\$3 ) same asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:30
S13	586	( ( buffer\$1 or queue\$1 ) same ((single or one ) near2 response\$3 ) & asynchronous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:31
S14	197	( ( buffer\$1 or queue\$1 ) same ((single or one ) near2 response\$3 ) & asynchronous & (client\$1 or server\$1) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:31
S15	7	( ( buffer\$1 or queue\$1 ) same ((single or one ) near2 response\$3 ) same asynchronous & (client\$1 or server\$1) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:33
S16	0	( ( buffer\$1 or queue\$1 ) same ((single or one ) near2 response\$3 ) same asynchronous same pend\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:33